


Gate openers. The perfect first impression.

The ideal solution
for every requirement





Elegance meets convenience

Give your property that special touch.

First impressions count: Your gate is a calling card – it is the first thing your guests see when they enter your property. That is why choosing which external gate to install is a decision that should be given careful consideration.

The right opener from Marantec combines reliability, safety, security, elegance and

convenience. This combination is what makes our solutions unique. Our openers not only open and close your gate reliably, securely, and safely – thanks to the underground design, they can even be hidden from sight, making them invisible to visitors.

Feel safe and secure

We protect what is dear to your heart.

Not everything that is important can be seen. Many things are felt, which is why you need to be able to trust that you are safe. With our solutions, we do everything to ensure the security of your gate. This assurance applies just as much to the opener as to its operation and each

individual smart solution that we use to make your daily life easier, from the light barrier to the coding of our wireless hand-held remotes. We want you and everyone who is important to you to feel safe. You can bet on it.




Quality you can count on

Whole generations rely on Marantec.

Quality work – for us, that's more than just a sounding catchword. Generations have worked on the good reputation of reliability and quality. So have we.

Conscientious manufacturing plays a decisive role in safety, reliability, and durability.

Our products do what they were built to do, for decades, day after day. The cost savings are evident in the long run.



Marantec:
Invest in
tomorrow
today.



Swing or slide?

No matter how large or heavy your gate is,
we automate both sliding and swing gates.

Looking for a premium solution offering
all the advantages? If so, welcome to
Marantec!

Did you know that our openers are available
for both swing and sliding gates? Simply let
yourself be guided by your good taste and
the requirements of your architecture.
Some driveways only reveal their splendor

with a swing gate.

Other driveways have a design language
and come with the requisite space to
complement a sliding gate. Regardless of
whether you decide on an opener for a swing
or sliding gate, we are uncompromising
when it comes to convenience, safety, and
security.





Sliding gate openers

Suitable for both small and light and large and heavy sliding gate systems and for private or commercial purposes. Our opener systems slide the gates at the press of a button, even in the case of inclines and other extreme requirements.



Swing gate openers

Suitable for swing gates with one or two wings, which can be small or big, light or heavy, with narrow or wide gate posts. Our swing gate systems provide safety, security, and convenience in all types of weather.


Sliding gate openers for all situations

Maximum speed, a powerful workhorse, or discreetly integrated in a post: What are you looking for? We have sliding gate openers for every situation. Whatever you are searching for, you will always find something extra for your day-to-day needs. No more having to get out to open or close the gate, and no more worrying about

whether your property is secure. With our openers, we are also equipped for challenging situations, such as not being able to see the path of the moving gate, or using large and heavy gates. Regardless of your needs, you can always rely on the high quality of the materials and workmanship as well as intelligent solutions.



- ① Sliding gate opener with integrated control unit
- ② Photocells
- ③ Radio hand transmitter
- ④ Signal lamp
- ⑤ Radio code keypad or radio fingerprint reader



Our range for sliding gates

With a premium look,
compact design,
and ease of integration.

Strong, quick, and high-quality openers
for your sliding gate.



The openers



Compact

Comfort TU series:

Comfort TU 500 and 800 for gate wings up to 800 kg in a practical kit. Greatly simplifies the decision when choosing an automatic gate. Its LC display makes custom configuration a breeze.



Quiet and quick

Comfort SU series:

Comfort SU 500F, SU 700M, and SU 1100M for gate wings up to 1100 kg. A six m gate can be opened by the SU 500F in a speedy 15 seconds.



Post-mounted opener

Comfort 861:

Our post-mounted opener Comfort 861 is available in two standard sizes. It is the perfect choice if you prefer a discreet design language that can be integrated into a classy aluminum post on your fence.



Powerful minimalism

Comfort 861 S:

Comfort 861 S can be used with gate wings up to 600 kg while remaining hidden in a high-quality anodized aluminum housing.






The right opener for every swing gate

Not all swing gates are created equal. The weight and dimensions of the gate wings, the distance between the post and the gate, and whether the gate already exists or is in the planning stages all influence the choice of opener. No matter what you are looking for, Marantec offers the right solution for every swing gate. If you are still operating your gate manually, we recommend our retrofit openers. They can be installed easily and integrated

elegantly. Depending on the circumstances, our openers work by means of the piston rod principle, a specially protected sliding carriage, an articulated arm that also enables a large distance between the post and the gate, or a practically invisible underground opener. No matter which gate you choose, you can trust its reliability, safety, security, elegance, and convenience.



- | | |
|--------------------------|---|
| ① Swing gate opener | ⑤ Electric lock |
| ② Control housing | ⑥ Signal lamp |
| ③ Photocells | ⑦ Radio code keypad or radio fingerprint reader |
| ④ Radio hand transmitter | |



Winged and swing gates for retrofits

Elegant look with high-quality
and robust aluminum

You love your gate, but no longer want to have to get out of and back into your car to open and close the gate again each time you go in or out? If so, we recommend our retrofit openers. They are easy to install, operate using the reliable piston rod or sliding carriage principle, and move gate wings with a width of up to 4 m. Not much space for an opener on your gate?

The slim Comfort RE is our discreet, aluminum-free solution that requires almost no space at all. At a width of just 125 mm, the Comfort RE2224 fits on almost every post. Despite its size, it is powerful, making it the opener of choice for many gates. It moves wings measuring up to 2.3 m and weighing 250 kg.



The openers



Entry-level opener for private use

Comfort ST300:

The ST300 is the entry-level model from the ST series. Thanks to its slimline design and function-oriented technology, it is unbeatable value for money.



Opener for light swing gates

Comfort 515 and Comfort 516:

Our Comfort 515 and 516 openers are the right choice if you are looking to automate a light single- or double-winged swing gate. Two different technologies designed for different circumstances, but identical in terms of the result.



Built to satisfy high design and technological requirements

Comfort RA series:

The high-power Comfort RA series is available with or without encoder technology. The Comfort RA series is able to move gates of measuring up to 4.0 m and weighing up to 600 kg safely, securely, and reliably.



Power for large swing gates

Comfort 525 series:

The openers of the Comfort 525 series for single- and double-winged swing gates are designed to transmit the force required for large and heavy gates particularly effectively while guaranteeing extremely smooth gate operation at the same time – extra strong, yet highly elegant.

Our range for winged and swing gates

For large, heavy gates. For wide gate posts.
For invisible operation.

We have openers available for every situation. They open large and heavy gate wings reliably and smoothly. We can also add openers to gates that are already installed.

If you are looking to automate your gate today, but value a clear, uncluttered look free of technical devices, we have just the thing for you. We call this opener series Comfort UN – invisible openers for swing

gates.

It is the perfect solution for your gate where you not only wish to have the convenience, safety, and security of an automated gate but also wish the opener technology to be almost entirely invisible. The opener and devices are mostly hidden under the road surface. Thanks to a powerful motor, it moves gate wings measuring up to 3.5 m and weighing up to 600 kg.




The openers



Looks are everything

Comfort 530 L:

The Comfort 530 L opener transmits the force for large, heavy gates via a sliding carriage integrated in the housing. This means that it operates entirely invisibly, while also being protected against the ingress of dirt.



Developed for demanding requirements

Comfort ST500:

The ST500 has been developed for commercial use on gates with a maximum wing length of 5.0 m. The highly robust mechanics combined with the modern and high-performance control technology make the ST500 an optimal solution for commercial use.



Slimline design for maximum usability

Comfort REP2224:

The Comfort REP is only available in one variant – the optimal one! Its compact design featuring a width of just 125 mm allows it to fit on almost any post. For gates measuring up to 2.3 m and weighing up to 250 kg and equipped with bi-linked wireless technology.



Invisible swing gate opener

Comfort UN series:

The underground openers of the UN series have been developed to fulfill the visual requirements for premium gates. By installing the opener under the road surface, all the equipment is made invisible to the naked eye. Thanks to a powerful motor, it is the optimal choice for moving gate wings measuring up to 3.5 m in width and weighing up to 600 kg.

Everything under control

Whether it is a handheld remote, keypad, or wall console:

If wireless handheld remotes win prizes, it means they exhibit the perfect proportions, choice of material, and features. Try them out for yourself. Our handheld remotes not only allow gates to be opened and closed, but they can also have other functions assigned to the buttons.

Our wireless handheld remotes use 128-bit encryption and a rolling code – technology to keep you safe and secure.



Excellent design

Digital 564

Mini hand transmitter



Digital 572

Micro hand transmitter



Digital 520

Wall-mounted
pushbutton



Digital 525

Radio code keypad



Digital 526

Radio code keypad



Digital 540

Wall-mounted
pushbutton



Safety and security in all situations

The relevant laws are stringent, but we are even stricter. You can equip all Marantec openers with additional safety and security systems. By doing so, you augment the high safety and security precautions our products feature. Why do we do this? Because we want you and your loved ones to feel safe and sound, regardless of whether

you prefer to keep your gate open or closed. Furthermore, we also add a further layer of safety and security upon request. Our light barriers ensure that the gate only moves when the path is clear. An additional battery ensures that the opener keeps working even in the event of a power failure, while single lamps warn of a moving gate in confusing situations.



Accessories

Making sure our solution is perfect for you.

Photocells for yard
and external gates



Photocells for
outdoor installation



External unlocking
device




Battery backup



Signal lamp





maveo



maveo connect stick

For a good feeling. Anytime, anywhere.

With the maveo connect stick, you've always got an eye and a grip on your garage door or entry gate. **Wherever you are, you can always be sure your garage door is closed and that everything is secure.**

Thanks to the maveo app's gate status indicator and the ability to operate the door while on the road, you've always got **everything under control**. What a great feeling!

Installation is child's play: To set up the maveo connect stick, just insert it into the marantec opener – it's all **plug and play!** Then download the **maveo app**. Register, connect, and you're done.

All that's necessary is a stable Internet connection in the garage, a smartphone and your "my maveo" account.





Discover the many advantages

World Wide Control

Access from everywhere, including door or gate status (open/closed)




Access management

Grant digital access to family, friends, neighbors and craftsmen




Push notifications

Get information each time the door or gate moves



Self-closing

The door closes automatically after a set time¹
(1/5/15 minutes)



Ventilation position

Discourages mold formation in your garage²



Light

Control your opener's light via app




Geofencing

Open your door with a simple confirmation – even faster, as soon as you come home



Live-Status

Follow your door or gate's movement with a live animation



¹ For the maveo connect stick's full range of safety and functionality, a light barrier, such as the Special 630 is a must (available in specialist shops).

² This function is only available when an interim position is programmed into the drive.

🔄 Fresh air for your garage: preventing mold:



With the **maveo connect stick** and the **maveo sensor h+t**, the temperature and humidity inside the garage are recorded and displayed in the **maveo app**. Determine when and in what weather your garage is ventilated. The **maveo sensor h+t** compares the values in the garage with the weather data at the location so that ventilation only takes place when the humidity outside is lower than in the garage. This function is also optionally available with dew point calculation. This function requires the programming of an intermediate position.

Ask your specialist dealer or visit maveo-smart-garage.com for more information.

🔄 Compatibility

Comfort 200 series, Comfort 300 series, Comfort 515, 516, 525, 530L and Comfort 861, 861 S. With the control housings of the X.52, X.82 and VTA, installation is possible only with the maveo adapter set.

For the maveo connect stick's full range of safety and functionality, a light barrier, such as the Special 630 with the installation bracket set, is a must.

For full **installation** of the maveo connect stick, **location services**, **Bluetooth**, **mobile data** and a **WLAN** must be operational and approved for the **maveo app**. The possible languages in the maveo app are currently: German, English, French, Dutch, Spanish, Danish, Portuguese, Italian and Polish.


🔄 Technical data

- Technical requirements: Internet reception on the drive
- Smartphone: We recommend a smartphone with Android 9 or newer or an iPhone model 8/SE or newer with iOS 16 or later
- Bluetooth: 4.2
- WLAN: 2,4 GHz
- Dimensions: 28 x 13 x 66 mm
- IP protection class: 20
- Temperature: -20°C to +60°C



maveo app

The maveo app is available free of charge for both **Android** and **iOS**. Download the maveo app from the **AppStore** or **Google Play** and enjoy full control over your garage door and external door. Upgrade your garage and exterior door experience with the **maveo connect stick**. Say goodbye manual operation of your door and the search for hand-held transmitters and say hello to security and convenience. Order today and make your **garage door and exterior door smarter than ever before!**





Get more out of your garage

Our elegant openers give it glamor
and provide you with convenience.

It is the performance and convenient operation of our garage door openers that make them so impressive – combined with their elegant appearance. The sophisticated and flexible technology of Marantec openers and our accessories move doors that weigh up to 220 kg and are six m wide, regardless of whether you use single-walled or double-walled sectional doors, up-and-over doors, overhead doors, or canopy doors. By choosing solutions from Marantec, you

get powerful, reliable openers, coupled with safe, secure, and convenient operation. Upon request, a battery and solar module provide independence from the grid. The systems can be operated conveniently via the wall button and wireless handheld transmitters. Naturally, you can also have our garage door openers in a smart version with everything that maveo has to offer.

Door
types



Why Marantec? Because quality resulting from experience is a good thing.

A family business on
its way into the future.



Experience and innovation

We have been developing and manufacturing at our headquarters in East Westphalia, Germany, since 1957. Our goal: to equip you with the best openers for your garage doors and entry gates.

This requires **experience and new ideas**. We devote our energies to opener and control systems, plus accessory products, for all types of doors and gates – garage doors, swing and sliding gates, industrial gates, and parking barriers.



Security and convenience

We develop patented technologies for maximum security and convenience. Our business is certified to DIN ISO 9001.



Attractive products

Every one of our products demonstrates that technology can look good and be functional.



Global presence

We sell our products in more than 70 countries.

As a family business, our partnerships with our trade customers and our relationships with our users are the most important things to us. We respond to requests and requirements and are flexible, fast, and dependable.

Marantec Marienfeld GmbH & Co. KG

Remser Brook 11
33428 Marienfeld
Germany

Phone +49 5247 705-0

sales@marantec.com
www.marantec.com

Marantec Finland

Sienitie 24
PL 10
00761 Helsinki,
Finland

Phone +358 207106 600

sales@marantec.com
www.marantec.com

Marantec South-Africa

16/18 Monte Carlo Road
Mahogany Ridge
3610 Westmead
South-Afrika

Phone +27 31 7008260

sales@dortech.co.za
www.marantec.com

Marantec UK

Unit 10 Christleton Court, Manor Park
Runcorn, WA7 1ST, Cheshire
UK

Phone + 44 1928 579050

info@marantec.co.uk
www.marantec.co.uk

